

# Audurra<sup>™</sup> Duplex Masking Tape

# MASKING

#### **Description:**

Audurra Duplex Masking Tape is high quality, 80°C automotive grade crepe paper masking tape with excellent adhesion to all surfaces. It can be used with all solvent and water-based paints providing clean removal with no residue.




#### Features:

- Saves time and materials
- Simplifies the process
- Masks areas without leaving hard paint edges
- Seals and protects vehicle insides from overspray

### Available in:

Article number	Dimensions	Packaging unit
D15376363	75mm x 20m	1 piece

#### Product Construction:





### Audurra<sup>™</sup> Duplex Masking Tape

## MASKING

#### Shelf Life:

One year from date of receipt by customer when stored at 22°C (72°F) and 50% relative humidity.

#### **Physical Properties:**

Values shown are typical values and not to be used for specification purposes.

Carrier	Crepe paper, PE film and PES lifting tab	
Adhesive	Rubber	
Colour	Ivory with black and red print	
Total Thickness	285 micron	
Width	75mm	
Length	20m (+/- 0.5m)	

#### **Performance Properties:**

Values shown are typical values and not to be used for specification purposes.

Peel Adhesion	2,7 N/cm	
Tensile Strength	50 N/cm	
Elongation at break	10%	
Temperature Resistance	80°C for 1 hour	

Axalta Coating Systems Germany GmbH & Co. KG Christbusch 25 42285 Wuppertal Germany

Page 2 of 3




# TECHNICAL DATA SHEET



# Audurra<sup>™</sup> Duplex Masking Tape

# MASKING


#### Where to use this product:



Remove the liner from the narrow section of tape and stick it to the underside of the roof rail and repeat.



Apply pressure to the tape and then close the door.



Remove the film liner from the wide section of tape, pull down and mask off the rubber seal.

### Areas of Application:

- Roof / Cant Rails
- Door rubber seals
- Bonnet/Hood
- Boot/Trunk
- Wing/Fender/Guard

Axalta Coating Systems Germany GmbH & Co. KG Christbusch 25 42285 Wuppertal Germany Page 3 of 3

